Additional Resources: Product Page



SERIES: CDM1263 | DESCRIPTION: M12 CONNECTOR

FEATURES

- M12 male connector
- D code
- panel mount
- IP67
- 0.5, 1, 2, 3, & 5 meter length options





SPECIFICATIONS

conditions/description	min	typ	max	units
			60	V
			1.5	А
for 1 minute		1,500		Vac
			10	mΩ
at 500 Vdc for 1 minute	100			MΩ
	0.3		3.0	kgf
	-25		80	°C
	100			cycles
compliant with IEC61076-2-101				
see material table				
yes				
IP67 (in mated condition)				
	at 500 Vdc for 1 minute compliant with IEC61076-2-101 see material table yes	at 500 Vdc for 1 minute 100 0.3 -25 -25 100 compliant with IEC61076-2-101 -25 see material table -25 yes IP67 (in mated condition)	at 500 Vdc for 1 minute 100 0.3 -25 -25 100 compliant with IEC61076-2-101 100 see material table yes yes 1P67 (in mated condition)	1.5 for 1 minute 1,500 10 10 at 500 Vdc for 1 minute 100 0.3 3.0 -25 80 100 100 compliant with IEC61076-2-101 100 see material table yes IP67 (in mated condition) 100

PART NUMBER KEY

.....

<u>CDM1263</u> - 04D - MW - F16 - <u>XXX</u> - 67


Base Number

Cable Length: 050 = 0.5 m 100 = 1 m 200 = 2 m 300 = 3 m 500 = 5 m


MECHANICAL DRAWING


units: mm tolerance: 0.5<X≤6.0: ±0.1 mm 6.0<X≤30.0: ±0.2 mm unless otherwise noted

ITEM	DESCRIPTION	MATERIAL	PLATING/COLOR	
А	M12x1.0 screw	brass	nickel	
В	terminals; male	brass	gold	
С	housing; male	PA66 (UL94V-0)	black	
D	M16x1.5 nut	brass	nickel	
E	resin	black epoxy	black	
F	o-ring	FKM	black	
G	cable	CAT5 (100 Mbps), UL20549, 26 AWG PUR jacket		
Н	shield pipe	brass	nickel	




.....





Recommended Panel Cutout



REVISION HISTORY

rev.	description	date
1.0	initial release	05/09/2024
1.01	CUI Devices rebranded to Same Sky	09/12/2024

The revision history provided is for informational purposes only and is believed to be accurate.

Same Sky offers a one (1) year limited warranty. Complete warranty information is listed on our website.

same sky

Same Sky reserves the right to make changes to the product at any time without notice. Information provided by Same Sky is believed to be accurate and reliable. However, no responsibility is assumed by Same Sky for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

Same Sky products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.